



德永(香港)有限公司

Takwin (Hong Kong) Ltd.

Unit 8, 16/F, Grandtech Centre, 8 On Ping Street, Shatin, Hong Kong

Tel : (852) 2687 6122 Website : www.takwin.com.hk

Fax : (852) 2690 0122 e-mail : takwinhk@ymail.com

Use of Mark

1. Takwin (Hong Kong) Limited (hereinafter referred to as “Takwin”) grants to certified Organization(s) nonexclusive use of the Mark shown in Appendix A attached with the scope of certification set forth in the Certificate provided that the certified Organization maintains a quality system in accordance with its certified quality management system, the applicable product conformity certification scheme, and Takwin certification requirements.
2. The Takwin Mark in colour black and gray may be used in case of black and white printing. The Takwin Mark shall be in a size which makes all features of the Mark clearly distinguishable, the outside diameter of the Mark being no less than 12.7mm or 0.5 inch.
3. If the scope of certification of an Organization is covered by the Takwin accreditation area granted by HKAS, the Organization may use the HKCAS Accreditation Symbol in conjunction with the Takwin Mark. The HKCAS Accreditation Symbol, when used, shall be of the similar size of and adjacent to the Takwin Mark in a manner as shown in Appendix A. The use of HKCAS Accreditation Symbol is subject to the relevant HKCAS requirements as specified from time to time by HKAS.
4. When the Mark is used, they must always be in conjunction with the Organization’s name and certification number.
5. A certified Organization may use the Mark only on correspondence, advertising, and promotional materials which are related to the goods and services identified in the scope of the Organization’s certification and in regards to the approved product conformity certification scheme.
6. Neither the Takwin Mark nor the HKCAS Accreditation Symbol shall be used on a product, product packaging or related documentation, or in such a way as to suggest that Takwin and/or HKAS have certified or approved any product, process or service of the certified Organization.
7. Only the Takwin Mark can be used on a product when product certification for the applicable scope(s) have been granted.
8. The certified Organization shall immediately, upon written notification, cease and desist the use of the Mark
 - (a) upon suspension, withdrawal or termination of their certification, and
 - (b) in any manner which Takwin interprets as misleading.
9. Any misuse of the Mark may cause suspension or withdrawal of the certified Organization’s certification.




德永(香港)有限公司
Takwin (Hong Kong) Ltd.

Unit 8, 16/F, Grandtech Centre, 8 On Ping Street, Shatin, Hong Kong
Tel : (852) 2687 6122 Website : www.takwin.com.hk
Fax : (852) 2690 0122 e-mail : takwinhk@ymail.com

Appendix A

Takwin Mark



Certification No. xxxxxxx

Takwin Mark in Conjunction with HKCAS Accreditation Symbol



Certification No. xxxxxxx



德永(香港)有限公司


Takwin (Hong Kong) Ltd.

Unit 8, 16/F, Grandtech Centre, 8 On Ping Street, Shatin, Hong Kong

Tel : (852) 2687 6122 Website : www.takwin.com.hk

Fax : (852) 2690 0122 e-mail : takwinhk@gmail.com

Standard Colours and Font Style for the Accreditation Symbols



Numeral font : Helvetica Medium / Arial Horizontal Scaling : Normal

Notes:

1. The right hand edge of the last digit of the registration number shall align with the vertical line in touch with the right hand side edge of letter “K”. The lines underneath the registration number shall be perpendicular to this vertical line.
2. The height of the registration numbers shall be one-quarter the height of the letter “H” of the HKAS logo.
3. “P” and “S” are for medical laboratories. The height of the letter “P” or “S” shall be the same as the “HOKLAS” symbol. The left side of the letter “P” or the leftmost of the letter “S” shall align with a vertical line drawn from the point as indicated above. The font to be used for “P” or “S” shall be Arial, bold face.
4. The registration numbers shall not touch the lines underneath.
5. The above colour specification is based on a white colour background. When printed against a background of other colours, the colour of the accreditation symbol shall not be affected. The colours appearing in the above figure may not be exact. When printing, the specific colour codes should be followed.



德永(香港)有限公司
Takwin (Hong Kong) Ltd.

Unit 8, 16/F, Grandtech Centre, 8 On Ping Street, Shatin, Hong Kong
Tel : (852) 2687 6122 Website : www.takwin.com.hk
Fax : (852) 2690 0122 e-mail : takwinhk@ymail.com

6. The minimum height of the symbols shall be 15mm. A smaller size is acceptable if the symbol is displayed on smaller items such as name cards. Irrespective of the size, the features of the accreditation symbols, the identification code and the registration number shall be clearly discernible.